



Enercon was founded in 1980 to respond to the special plant requirements of a group operating in the purification and waste disposal sector. Its elastic, highly dynamic structure soon found a place in the plant technology market at domestic and international level. **Enercon** was initially set up as an engineering group whose tasks included acquiring the order, designing the plant and constructing the installation with the cooperation of outside workshops. Since 1986, **Enercon** has had its own production unit, which builds the plant in its own materials, without making use of outside companies.

SYSTEMS MADE BY ENERCON

Today, **Enercon** has developed a specialization in the special applications sector to offer its customers customized solutions to specific problems, with the construction of made to measure equipment and plant and prototypes. In more than thirtyfive years of operations, **Enercon**

has built up technical and technological knowledge, and has set up a company structure of the highest professional levels. **Enercon** is a point of reference for demanding customers, to whom it offers a selected turnkey supply formula which has already obtained widespread, unanimous approval.

APPLICATIONS

- Oil fog and vapour suction and filtering systems;
- Dust suction and filtering systems;
- Fume suction and filtering systems;
- industrial hydraulic systems;
- Soundproofing;
- Special applications;
- Soil treatment systems;
- Energy saving and recovery;
- Cogeneration systems;
- Assistance and maintenance services.







Two parts hoods on die casting machines complete with ENERORESS filters, extraction fans and expulsion chimneys - Italy

In recent years, **Enercon** has examined the problem of fume or oil fog vapour suction and purification manufacturing many plants.

Problems have been studied and solved specially in the fields of die-casting, non ferrous metal moulding and in machining (work stations).

These plants have been designed and produced with a interception system, installed on each machine (press – milling), conceived to allow an easy and non limiting efficiency of the ever more automised machines, i.e. robots.

The fog and vapour abatement filtering unit can be assembled onboard and can be of two different kinds: electrostatic or mechanic.

These filters are arranged for a self automatic washing, as an alternative it is possible to assemble a central system downstream from the interceptions ensuring simplicity, practicality and low maintenance cost. This system allows a good abatement efficiency with the plant's control and maintenance in one place.



Aluminum die-casting machines with hoods in two parts complete with individual ENERPRESS filters connected to centralized suction - Italy

Enercon is present in the following fields:

- Aluminium die-casting department;
- Brass hot-working;
- Detaching liquid nebulisations;
- Tools' cooling water nebulisations;
- Nebulisations of synthetic cutting oils or of gaseous oils variously polluted and from different origin;
- Pollutants of different type and origin;
- Nebulisations from work stations.



Die-casting machines with hoods in two parts complete with ENERPRESS filters, fans and individual chimneys for the expulsion of air purified in the atmosphere - Spain






Electrostatic filter for recycling the purified air into the working area with heat recovery



- 1 Pre filter panels coalescing;
- 2 Electrostatic filters:
- 3 Fan;
- 4 High efficiency filter for internal recirculating air;
- 5 Filters washing system;

- A Filtered air recirculation within the production department with heat recovery (Winter);
- **B** Expulsion filtered air outside the production department (Summer).





ENERPRESS filters on indipendent supporting structures dedicated to die casting machines with fans and expulsion chimneys. Italy



ENERPRESS filter on an independent structure with mobile washing tank beside it, dedicated to a single die-casting machine and connected to a centralized suction unit. Ukraine



Automatic cleaning system of the filter: in detail, the washing manifold, mobile by means of gearmotors and the nozzles that allow the complete washing of electrostatic cells and mechanical panels. Pollutants are collected in the tank integrated in the filter.





Hoods and filters on diecasting machines



Hoods on presses connected to a centralized suction and filtration system - Uzbekistan



Hood into two parts complete with individual ENERPRESS suction and filtration system for recirculation of purified air in a die-casting machine - Russia



Hood on Hydra press connected to ENERPRESS centralized suction and filtration system - Italy



Hoods into two parts complete with individual ENERPRESS suction and filtration systems for recirculation of the purified air in the environment on IDRA OL4200S and OL2700S die casting machines - USA



Hoods into two parts on COLOSIO PFO die-casting machines of different tonnages connected to a centralized suction and filtration system ENERPROG - Russia



Hood into two parts complete with ENERPRESS filtration system, fan and individual expulsion into the atmosphere on ITALPRESSE IP1650 die-casting machine - Spain






Hoods and filters on diecasting machines



Hood into two parts complete with ENERPRESS suction and filtration system for recirculation of purified air in a COLOSIO PFO1000 die-casting machine - Czech Republic



Hood into two parts on IDRA OL900S die-casting machine complete with individual ENERPRESS suction and filtration system, mobile hood on the injection side - Spain



■ Hood into two parts on FRECH DUALCAST 2700 diecasting machine connected to a centralized suction and filtration system ENERPROG



Hood into two parts complete with individual ENERPRESS filtration system, fan and individual chimney for the expulsion in the atmosphere of purified air on COLOSIO PFO560 die-casting machine - Spain



Hood into two parts complete with individual ENERPRESS suction and filtration system for recirculation of purified air in an environment on IDRA OL3700CS die-casting machines - Sweden



Hood into two parts complete with individual ENERPRESS suction and filtration system for recirculation of purified air in an environment on IDRA OL420S die-casting machine. Poland



Centralized implants



ENERPROG centralized suction and filtration system in 12 modules for a total suction flow of 200,000 m³/h dedicated to 22 presses - Italy



ENERPROG centralized intake and filtration system in 6 modules dedicated to 4 large tonnage presses - Iran



Centralized suction and filtration system ENERPROG - Italy



ENERPROG centralized suction and filtration system in 4 modules dedicated to 7 presses - Italy



ENERPROG centralized suction and filtration system in number 2 modules for a total sucked flow of 32,000 m³/h dedicated to 4 presses - Spain



ENERPROG centralized suction and filtration system in 10 modules for a total suctioned flow of 150,000 m³/h for 19 presses - Slovakia





Enercon has considerable experience in all the processes where suction and purification are combined with the temperature and humidity of the air.

Cascade filtering allows to cope with the most serious problems on a priority basis. Modular nature and technical compatibility of the systems, which we have been studying for years, enables us to put after and before the cooling and the filtering units, receivers, forced settling chambers, eddychamber and inertial multieddy-chambers.



Technological systems for aspiration and filtration of fumes from melting furnaces and powders from mechanical processing at the service of aluminum refinery - Italy

Enercon's flexibility enables the final user, in agreement with our technical department, to decide the customisation level of its system.

We also produce hoods for smelting furnaces that can keep their suction constant and present in every production stage. They are equipped with motorised systems and direct profile hoods with venture tubes. We also carry out modifications to existing plants.



Fume suction and filtration technology systems from melting furnaces complete with fume/water heat exchanger for aluminum foundry - Turkey

Suction and filtering systems for fumes from a large range of production processes:

- Smelting furnaces
 (aluminium, brass, bronze, cast iron, steel);
- Shell casting;
- Sand-casting;
- Metal treatment and refinement.



Fume suction and filtration system (flow rate 20,000 m³/h) for aluminum smelting furnaces - Italy







85,000 m³/h suction and filtration system for fumes treatment from aluminum melting furnaces - Slovakia



Extraction hoods on combustion opening of rotating aluminum smelting furnaces - Spain



Fume suction and filtration system from aluminum melting furnaces with chemical treatment of the fumes in the reactor and reagent storage and dosing system - Italy



Hoods on combustion openings and slagging doors for aluminum melting furnaces - Slovakia



Extraction hoods on gravity casting cells connected to a centralized suction and filtration system - Italy



Suction and filtration system for fumes from furnaces. Italy







Energy saving and recover


The recovery of energy contained in gases to be purified has allowed **Enercon** to face and solve the problem of "Energy Saving and Recovery".

Systems are fitted with heat recovery units that, by absorption water refrigerators, are able to supply heated or cold water to various offices and departments, thus reducing investment costs in a very short time.



Examples of fume/air heat exchangers installed on aspirations from melting furnaces upstream of the respective flue gas filtration systems complete with insertion of the heated air inside the production departments with high energy recovery.

Production consists of various kinds of boilers: from air to air, from air to water and from air to steam, manufactured with special stainless steel according to gas substances and temperatures.



Tube bundle heat exchanger (fumes/air) for preheating combustion air before placing in the furnace - Italy

Energy saving and recovery:

- Fumes/air heat boilers;
- Fumes/water heat boilers.

The system is completed with dust filtering unit, adjustments and controls in conformity with the law.



Fume/water heat exchanger for the use of heated water inside the plant - Italy









Suction and filtration system for bronze dusts - Italy

Enercon has reserved two types of particular technical treatment, while facing the topic of purification and suction of dusts coming from various productive processes: systems and environmental reclamation interventions.

The former takes into consideration the presence of an operator close to the polluting area, in this case **Enercon** will aim to safeguard the operator's respiratory system by means of personalized suction systems sending the polluting agent towards the filtering units.

The latter takes into consideration the use of the automatic production processes, with a limited presence of the operator near the working machines. In this particular case
Enercon will design and
install particular customised
interception hoods in order
to avoid problems with the
production process preferring,

as an interception form, the non dispersion of the polluting agent in the air. The polluting agent will be sucked at its source and sent to the filtering units that, depending on the polluting agent to be treated, can be equipped with safety systems such as anti-deflagrating systems or fire detection and fire extinction systems.

In this way it is possible to have customised plants with high energy saving and considerable economic saving, at the moment of purchase and when in function.



Technological systems for suction, dust filtration and odor abatement from bronze shell casting machines and bronze melting furnaces - Italy

Abatement and suction systems of dust of various qualities and particle size with remote control:

- Grinding (aluminium, bronze, steel, etc);
- Steel moulding;
- Steel Heat treatment;
- Machine tools and work stations;
- Marble processing and polishing;
- Chipping;
- Oxygen cutting bench of all sizes;
- Cast iron processing;
- Core tightening.



Suction and filtration system from aluminum cutting powders -6.000 m³/h







Suction and filtration system for dusts composed of a sleeve filter and a following active carbons filter - Italy



Dust extraction and filtration system for powders from mechanical processing - Italy



Suction and wet filtration plant from shot blasting operations - Slovakia



Suction and filtration system for dusts - Italy



Suction and filtration system for dusts - Spain



Suction and filtration system for dusts from grinding, flow rate 25,000 m³/h - Ukraine

